

ITEM #	CSI SECT	DESCRIPTION	QTY	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT LABOR HOURS	TOTAL LABOR HOURS	PER HOUR LABOR RATE	TOTAL LABOR COST	UNIT MATERIAL COST	TOTAL MATERIAL COST	ITEM COST	TRADE COST
Date: 11/9/2022 Project: 24 Unit Apartment Project Location: 2310 W Ocean View Ave, Los Angeles, CA 90057 Project Type: Gross Internal Area of Structure (SF) Covered Area of Structure (SF) No. of Units No. of Floors										SUB TOTAL \$ - MATERIAL TAX \$ - OH & P \$ - TOTAL BASE BID \$ - Material Tax 9.5% OH & P 25.0%				
DIV-01 General														\$
1	DIV-01	Utilities during construction (Based on interior finish area)	1	0%	1	LS	-	-	-	\$ -	-	\$ -	\$ -	-
2	DIV-01	Blueprints (50 Pages)	1	0%	1	LS	-	-	-	\$ -	-	\$ -	\$ -	-
3	DIV-01	Port-a-Potty (Based on interior finish area)	1	0%	1	LS	-	-	-	\$ -	-	\$ -	\$ -	-
4	DIV-01	Temporary Power (Based on interior finish area)	1	0%	1	LS	-	-	-	\$ -	-	\$ -	\$ -	-
5	DIV-01	Mobilization/Demobilization (Temporary Control & Facilities)	1	0%	1	LS	-	-	-	\$ -	-	\$ -	\$ -	-
6	DIV-01	Final Cleaning	1	0%	1	LS	-	-	-	\$ -	-	\$ -	\$ -	-
7	DIV-01	Project Management & Supervision	1	0%	1	LS	-	-	-	\$ -	-	\$ -	\$ -	-
DIV-02 Existing conditions														\$
8		Shoring	325			LF								
9	DIV-02	4x122 Treated Timber Lugging Note: Tree assumed.	4,557	5%	4,784	SF	-	-	-	\$ -	-	\$ -	\$ -	-
10	DIV-02	W16x26	2,360	5%	2,457	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
10	DIV-02	W21x44	9,328	5%	9,794	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
10	DIV-02	W24x76	6,156	5%	6,464	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
10	DIV-02	W21x50	37,800	5%	39,690	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
11	DIV-02	7"x14" Cont. Plate (10.2 lb/ft ²)	1,302	5%	1,357	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
12	DIV-02	24" H 30" Dia. Caissons Note: Took Average Height.	43	0%	43	EA	-	-	-	\$ -	-	\$ -	\$ -	-
DIV-03 Concrete														\$
Concrete Pad Footing														
13	DIV-03	(10'6" SQ. x25") Concrete Pad Footing - (1 EA)	9	5%	9	CY	-	-	-	\$ -	-	\$ -	\$ -	-
14	DIV-03	10-47 Bar EW	429	5%	451	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
15	DIV-03	(8'6" SQ. x20") Concrete Pad Footing - (2 EA)	9	5%	9	CY	-	-	-	\$ -	-	\$ -	\$ -	-
16	DIV-03	7-47 Bar EW	486	5%	511	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
17	DIV-03	(11' SQ. x26") Concrete Pad Footing - (1 EA)	10	5%	10	CY	-	-	-	\$ -	-	\$ -	\$ -	-
18	DIV-03	11-47 Bar EW	495	5%	519	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
19	DIV-03	(5' SQ. x14") Concrete Pad Footing - (1 EA)	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
20	DIV-03	5-45 Bar EW	52	5%	55	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
Concrete Cont. Footing														
21	DIV-03	(3'6"x16") Continuous Footing - (120 LF)	21	5%	22	CY	-	-	-	\$ -	-	\$ -	\$ -	-
22	DIV-03	4-#5 Bar	498	5%	522	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
23	DIV-03	#6 @12" O.C. Dowel	1,433	5%	1,505	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
24	DIV-03	(3'6"x16") Continuous Footing - (68 LF)	12	5%	12	CY	-	-	-	\$ -	-	\$ -	\$ -	-
25	DIV-03	4-#5 Bar	284	5%	299	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
26	DIV-03	#6 @12" O.C. Dowel	819	5%	860	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
27	DIV-03	(5'x16") Continuous Footing - (11 LF)	2	5%	2	CY	-	-	-	\$ -	-	\$ -	\$ -	-
28	DIV-03	4-#5 Bar	45	5%	47	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
29	DIV-03	#6 @12" O.C. Dowel	144	5%	152	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
30	DIV-03	(3'6"x16") Continuous Footing - (12 LF)	2	5%	2	CY	-	-	-	\$ -	-	\$ -	\$ -	-
31	DIV-03	3-#5 Bar	37	5%	39	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
32	DIV-03	#5 @6" O.C. Dowel	299	5%	209	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
33	DIV-03	(3'6"x16") Continuous Footing - (33 LF)	6	5%	6	CY	-	-	-	\$ -	-	\$ -	\$ -	-
34	DIV-03	4-#5 Bar	137	5%	143	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
35	DIV-03	#6 @18" O.C. Dowel	246	5%	258	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
36	DIV-03	(3'x16") Continuous Footing - (17 LF)	5	5%	5	CY	-	-	-	\$ -	-	\$ -	\$ -	-
37	DIV-03	7-#5 Bar	122	5%	128	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
38	DIV-03	#6 @9" O.C. Dowel	333	5%	350	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
39	DIV-03	(3'6"x16") Continuous Footing - (85 LF)	15	5%	15	CY	-	-	-	\$ -	-	\$ -	\$ -	-
40	DIV-03	4-#5 Bar	356	5%	374	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
41	DIV-03	#6 @12" O.C. Dowel	1,025	5%	1,076	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
42	DIV-03	(3'6"x16") Continuous Footing - (38 LF)	7	5%	7	CY	-	-	-	\$ -	-	\$ -	\$ -	-
43	DIV-03	4-#5 Bar	159	5%	167	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
44	DIV-03	#6 @9" O.C. Dowel	609	5%	639	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
45	DIV-03	(6'6"x16") Continuous Footing - (21 LF)	7	5%	7	CY	-	-	-	\$ -	-	\$ -	\$ -	-
46	DIV-03	#5 @12" O.C.	241	5%	148	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
47	DIV-03	#6 @6" O.C. Dowel	626	5%	658	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
48	DIV-03	(12'x12") Continuous Footing - (10 LF)	0.4	5%	0	CY	-	-	-	\$ -	-	\$ -	\$ -	-
49	DIV-03	2-#4 Cont. T & B	27	5%	28	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
50	DIV-03	(6'x16") Continuous Footing - (13 LF)	4	5%	4	CY	-	-	-	\$ -	-	\$ -	\$ -	-
51	DIV-03	#5 @12" O.C.	79	5%	83	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
52	DIV-03	#5 @16" O.C. Dowel Both sides	178	5%	187	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
53	DIV-03	(3'6"x14") Continuous Footing - (38 LF)	6	5%	6	CY	-	-	-	\$ -	-	\$ -	\$ -	-
54	DIV-03	3-#5	120	5%	126	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
55	DIV-03	#5 @16" O.C. Dowel	120	5%	126	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
56	DIV-03	(5'x12") Continuous Footing - (19 LF)	3	5%	4	CY	-	-	-	\$ -	-	\$ -	\$ -	-
57	DIV-03	5-#5	98	5%	103	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
58	DIV-03	#5 @16" O.C. Dowel	59	5%	62	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
59	DIV-03	(2'x12") Continuous Footing - (34 LF)	3	5%	3	CY	-	-	-	\$ -	-	\$ -	\$ -	-
60	DIV-03	3-#5	107	5%	112	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
61	DIV-03	#5 @16" O.C. Dowel	107	5%	112	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
2'6"x36" Soma Fit														
62	DIV-03	8" Concrete Slab	0.2	5%	0	CY	-	-	-	\$ -	-	\$ -	\$ -	-
63	DIV-03	#5 @18" O.C. EW U Bars	10	5%	11	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
64	DIV-03	#5 Dowel	17	5%	18	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
65	DIV-03	14'x4" H 8" Concrete Wall	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
66	DIV-03	#5 @18" O.C. Vert.	33	5%	35	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
67	DIV-03	#5 @18" O.C. Horiz.	33	5%	35	CY	-	-	-	\$ -	-	\$ -	\$ -	-
68	DIV-03	4" Thickened Edge of Concrete Wall	0.1	5%	0	CY	-	-	-	\$ -	-	\$ -	\$ -	-
69	DIV-03	2-#4 Cont. T & B	16	5%	17	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
Concrete Columns														
70	DIV-03	(12'x12") Concrete Column -3 (9'6" H) (3 EA)	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
71	DIV-03	4-#9 Continuous	408	5%	428	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
72	DIV-03	#4 @5" O.C. Ties	183	5%	192	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
73	DIV-03	(12'x18") Concrete Column -2 (9'6" H) (2 EA)	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
74	DIV-03	8-#9 Continuous	544	5%	571	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
75	DIV-03	#4 @5" O.C. Ties	152	5%	160	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
76	DIV-03	(12'x20") Concrete Column -1 (9'6" H) (2 EA)	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
77	DIV-03	10-#9 Continuous	680	5%	714	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
78	DIV-03	#4 @5" O.C. Ties	162	5%	170	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
Concrete Slab														
79	DIV-03	4" Concrete Slab - (5587 SF)	68	5%	72	CY	-	-	-	\$ -	-	\$ -	\$ -	-
80	DIV-03	#4 @16" O.C. EW	5,623	5%	5,893	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
81	DIV-03	Viqueren	5,587	5%	5,866	SF	-	-	-	\$ -	-	\$ -	\$ -	-
82	DIV-03	2" Thk Base of 1/2" Aggregate	36	5%	36	CY	-	-	-	\$ -	-	\$ -	\$ -	-
83	DIV-03	Compacted Fill	5,587	5%	5,866	SF	-	-	-	\$ -	-	\$ -	\$ -	-
84	DIV-03	18" Concrete Deck - (5463 SF)	219	5%	230	CY	-	-	-	\$ -	-	\$ -	\$ -	-
85	DIV-03	4" Concrete Slab - (275 SF)	3	5%	4	CY	-	-	-	\$ -	-	\$ -	\$ -	-
86	DIV-03	#4 @12" O.C. EW	368	5%	386	LF	-	-	-	\$ -	-	\$ -	\$ -	-
87	DIV-03	3" Styro Foam Thickness Assumed	275	5%	289	SF	-	-	-	\$ -	-	\$ -	\$ -	-
88	DIV-03	Thickened Edge - (88A/30-6)	12	5%	13	CY	-	-	-	\$ -	-	\$ -	\$ -	-
89	DIV-03	#4 @12" O.C. x 48" Lane	262	5%	276	LBS	-	-	-	\$ -	-	\$ -	\$ -	-
90	DIV-03	Thickened Edge - (A/30-7)	14	5%	15	CY	-	-	-	\$ -	-	\$ -	\$ -	-
90	DIV-03	Thickened Edge - (B/30-7)	6	5%	7	CY	-	-	-	\$ -	-	\$ -	\$ -	-
90	DIV-03	Thickened Edge - (C/30-7)	4	5%	4	CY	-	-	-	\$ -	-	\$ -	\$ -	-
90	DIV-03	Thickened Edge - (D/30-7)	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
90	DIV-03	Thickened Edge - (E/30-7)	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
90	DIV-03	Thickened Edge - (F/30-7)	2	5%	2	CY	-	-	-	\$ -	-	\$ -	\$ -	-
90	DIV-03	Thickened Edge - (G/30-7)	1	5%	1	CY	-	-	-	\$ -	-	\$ -	\$ -	-
Concrete Wall														
91	DIV-03	(9'6" H) 10" Shotcrete Wall - (L/2/30-7)	14	5%	15	CY	-	-	-	\$ -	-	\$ -	\$ -	-
92	DIV-03													

101	DIV-03	#5 @24" O.C. Horiz.	1,474	5%	1,548	LBS	-	-	\$	-	\$	-	\$	-
102	DIV-03	#4 @12" O.C. Dowel	981	5%	978	LBS	-	-	\$	-	\$	-	\$	-
103	DIV-03	(9'6" H) 10" Shotcrete Wall (10/50-7)	16	5%	16	CY	-	-	\$	-	\$	-	\$	-
104	DIV-03	#5 @12" O.C. Vert.	797	5%	796	LBS	-	-	\$	-	\$	-	\$	-
105	DIV-03	#5 @24" O.C. Horiz.	263	5%	276	LBS	-	-	\$	-	\$	-	\$	-
106	DIV-03	#5 @18" O.C. Vert.	350	5%	368	LBS	-	-	\$	-	\$	-	\$	-
107	DIV-03	#5 @24" O.C. Horiz.	263	5%	276	LBS	-	-	\$	-	\$	-	\$	-
108	DIV-03	#4 @12" O.C. Dowel	166	5%	174	LBS	-	-	\$	-	\$	-	\$	-
109	DIV-02	(9'6" H) 8" Shotcrete Wall (6/50-7)	3	5%	3	CY	-	-	\$	-	\$	-	\$	-
110	DIV-03	#5 @12" O.C. Vert.	119	5%	124	LBS	-	-	\$	-	\$	-	\$	-
111	DIV-03	#5 @24" O.C. Horiz.	59	5%	62	LBS	-	-	\$	-	\$	-	\$	-
112	DIV-03	#5 @18" O.C. Vert.	79	5%	83	LBS	-	-	\$	-	\$	-	\$	-
113	DIV-03	#5 @24" O.C. Horiz.	59	5%	62	LBS	-	-	\$	-	\$	-	\$	-
114	DIV-03	#4 @12" O.C. Dowel	166	5%	174	LBS	-	-	\$	-	\$	-	\$	-
		Note: All concrete wall is 4000 PSI & Shotcrete.					-	-						
		Concrete Beams					-	-						
115	DIV-03	24"x25" Concrete Beam	8	5%	8	CY	-	-	\$	-	\$	-	\$	-
		First Floor Deck Reinforcement					-	-						
115	DIV-03	#6 @18" O.C. Top	12,273	5%	12,886	LBS	-	-	\$	-	\$	-	\$	-
116	DIV-03	#6 @18" O.C. Bott.	10,491	5%	11,016	LBS	-	-	\$	-	\$	-	\$	-
116	DIV-03	#6 @9" O.C. Bott.	2,857	5%	2,999	LBS	-	-	\$	-	\$	-	\$	-
		Concrete Stairs					-	-						
117	DIV-03	Concrete Steps (3'2" W)	1	5%	1	CY	-	-	\$	-	\$	-	\$	-
118	DIV-03	# 3 Bar Nosing	42	5%	44	LBS	-	-	\$	-	\$	-	\$	-
119	DIV-03	8" Slab under Stairs - (102 SF)	3	5%	3	CY	-	-	\$	-	\$	-	\$	-
120	DIV-03	#5 Bar @12" O.C. E.W	213	5%	223	LBS	-	-	\$	-	\$	-	\$	-
		Connection					-	-						
121	DIV-03	Slab	5,587	5%	5,866	SF	-	-	\$	-	\$	-	\$	-
122	DIV-03	Footings	3,180	5%	3,339	SF	-	-	\$	-	\$	-	\$	-
		Formwork:					-	-						
123	DIV-03	Formwork for pad footing	272	5%	286	SF	-	-	\$	-	\$	-	\$	-
124	DIV-03	Formwork for cont. footing	1,813	5%	1,904	SF	-	-	\$	-	\$	-	\$	-
125	DIV-03	Formwork for concrete slab	249	5%	261	SF	-	-	\$	-	\$	-	\$	-
		Mobilization					-	-						
126	DIV-03	Mobilization For Concrete	629	5%	661	CY	-	-	\$	-	\$	-	\$	-
127	DIV-03	Mobilization For Aggregate	48	5%	51	TONS	-	-	\$	-	\$	-	\$	-
	DIV-04	Masonry					-	-						\$
		CMU					-	-						
128	DIV-04	8" CMU (9'6" H)	1,343	5%	1,410	SF	-	-	\$	-	\$	-	\$	-
129	DIV-04	#5 @ 16" O.C. Vertical	1,219	5%	1,280	LBS	-	-	\$	-	\$	-	\$	-
130	DIV-04	#5 @ 16" O.C. Horizontal	1,053	5%	1,106	LBS	-	-	\$	-	\$	-	\$	-
131	DIV-04	6" CMU (6" H)	842	5%	884	SF	-	-	\$	-	\$	-	\$	-
132	DIV-04	#5 @ 16" O.C. Vertical	825	5%	866	LBS	-	-	\$	-	\$	-	\$	-
133	DIV-04	#5 @ 24" O.C. Horizontal	489	5%	461	LBS	-	-	\$	-	\$	-	\$	-
134	DIV-04	6" CMU (3" H)	830	5%	872	SF	-	-	\$	-	\$	-	\$	-
135	DIV-04	#4 @ 16" O.C. Vert.	685	5%	657	LBS	-	-	\$	-	\$	-	\$	-
136	DIV-04	#4 @ 24" O.C. Horiz.	277	5%	291	LBS	-	-	\$	-	\$	-	\$	-
137	DIV-03	Mobilization For Steel/Reinforcement	2.22	5%	2	TONS	-	-	\$	-	\$	-	\$	-
	DIV-05	Metals					-	-						\$
		Beams and Columns					-	-						
138	DIV-05	H554x43/8 (17.2 lb/ft)	860	5%	903	LBS	-	-	\$	-	\$	-	\$	-
139	DIV-05	H553.5x3.5x3/8 (14.72 lb/ft)	1,091	5%	1,246	LBS	-	-	\$	-	\$	-	\$	-
140	DIV-05	H553.5x3.5 (12.3 lb/ft)	223	5%	234	LBS	-	-	\$	-	\$	-	\$	-
141	DIV-05	W10x15	242	5%	254	LBS	-	-	\$	-	\$	-	\$	-
142	DIV-05	W10x45	658	5%	691	LBS	-	-	\$	-	\$	-	\$	-
143	DIV-05	W10x45	475	5%	499	LBS	-	-	\$	-	\$	-	\$	-
144	DIV-05	W14x82	1,729	5%	1,815	LBS	-	-	\$	-	\$	-	\$	-
145	DIV-05	W10x19	529	5%	555	LBS	-	-	\$	-	\$	-	\$	-
146	DIV-05	W14x30	354	5%	371	LBS	-	-	\$	-	\$	-	\$	-
147	DIV-05	W14x53	1,114	5%	1,170	LBS	-	-	\$	-	\$	-	\$	-
148	DIV-05	W14x88	683	5%	717	LBS	-	-	\$	-	\$	-	\$	-
149	DIV-05	W10x17	154	5%	162	LBS	-	-	\$	-	\$	-	\$	-
150	DIV-05	W10x15	378	5%	396	LBS	-	-	\$	-	\$	-	\$	-
151	DIV-05	W10x19	110	5%	116	LBS	-	-	\$	-	\$	-	\$	-
152	DIV-05	W10x22	123	5%	129	LBS	-	-	\$	-	\$	-	\$	-
153	DIV-05	W10x20	197	5%	207	LBS	-	-	\$	-	\$	-	\$	-
154	DIV-05	W10x17	239	5%	251	LBS	-	-	\$	-	\$	-	\$	-
155	DIV-05	W10x48	1,257	5%	1,319	LBS	-	-	\$	-	\$	-	\$	-
156	DIV-05	W10x26	410	5%	431	LBS	-	-	\$	-	\$	-	\$	-
		Base Plate					-	-						
157	DIV-05	12x6x5/8" Base Plate (25.5 lb/ft ²)	344	5%	361	LBS	-	-	\$	-	\$	-	\$	-
		Note: Size assumed.					-	-						
158	DIV-03	Mobilization For Steel/Reinforcement	6.58	5%	7	TONS	-	-	\$	-	\$	-	\$	-
	DIV-06	Wood, Plastics And Composites					-	-						\$
		Shearwall					-	-						
		Exterior Shearwall					-	-						
159	DIV-06	(10' H) 15/32" S-Ply Plywood - (A)	585	5%	614	SF	-	-	\$	-	\$	-	\$	-
160	DIV-06	(8' H) 15/32" S-Ply Plywood - (A)	246	5%	258	SF	-	-	\$	-	\$	-	\$	-
161	DIV-06	(10' H) 15/32" S-Ply Plywood - (B)	1,460	5%	1,496	SF	-	-	\$	-	\$	-	\$	-
162	DIV-06	(8' H) 15/32" S-Ply Plywood - (B)	66	5%	69	SF	-	-	\$	-	\$	-	\$	-
163	DIV-06	(10' H) 15/32" S-Ply Plywood - (C)	876	5%	919	SF	-	-	\$	-	\$	-	\$	-
164	DIV-06	(8' H) 15/32" S-Ply Plywood - (C)	34	5%	35	SF	-	-	\$	-	\$	-	\$	-
165	DIV-06	(10' H) 15/32" S-Ply Plywood - (D)	285	5%	300	SF	-	-	\$	-	\$	-	\$	-
		Interior Shearwall					-	-						
166	DIV-06	(10' H) 15/32" S-Ply Plywood - (A)	798	5%	837	SF	-	-	\$	-	\$	-	\$	-
167	DIV-06	(8' H) 15/32" S-Ply Plywood - (A)	633	5%	665	SF	-	-	\$	-	\$	-	\$	-
168	DIV-06	(10' H) 15/32" S-Ply Plywood - (B)	2,354	5%	2,472	SF	-	-	\$	-	\$	-	\$	-
169	DIV-06	(8' H) 15/32" S-Ply Plywood - (B)	140	5%	147	SF	-	-	\$	-	\$	-	\$	-
170	DIV-06	(10' H) 15/32" S-Ply Plywood - (C)	776	5%	815	SF	-	-	\$	-	\$	-	\$	-
171	DIV-06	(10' H) 15/32" S-Ply Plywood - (D)	1,241	5%	1,303	SF	-	-	\$	-	\$	-	\$	-
		Floor Framing					-	-						
172	DIV-06	2x10 Floor Joists @16" O.C.	1,599	5%	1,679	SF	-	-	\$	-	\$	-	\$	-
173	DIV-06	2x12 Floor Joists @16" O.C., Grade #2	9,327	5%	9,562	SF	-	-	\$	-	\$	-	\$	-
174	DIV-06	2x12 Floor Joists @12" O.C., Grade #2	1,045	5%	1,098	SF	-	-	\$	-	\$	-	\$	-
		Roof Framing					-	-						
175	DIV-06	2x10 Joists @16" O.C. R.R	289	5%	304	SF	-	-	\$	-	\$	-	\$	-
176	DIV-06	2x12 @16" O.C., Grade #2 RR	2,666	5%	2,800	SF	-	-	\$	-	\$	-	\$	-
177	DIV-06	2x12 @16" O.C., Grade #2 R	880	5%	934	SF	-	-	\$	-	\$	-	\$	-
	DIV-07	Thermal & Moisture Protection					-	-						\$
		Roofing					-	-						
178	DIV-07	3/4" Pavers Deck	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
179	DIV-07	1" Mortar	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
180	DIV-07	1/4" Protection Board	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
181	DIV-07	CCW-500 Reinforcing Fabric	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
182	DIV-07	60 MILS Mirasol	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
183	DIV-07	1 1/2" Lightweight D.o.n., Topping Slab	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
184	DIV-07	1/8" Plywood Subfloor	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
185	DIV-07	R19 Insulation	2,852	5%	2,995	SF	-	-	\$	-	\$	-	\$	-
186	DIV-07	1/4" resilient Channels @24" O.C	1,426	5%	1,497	LF	-	-	\$	-	\$	-	\$	-
187	DIV-07	Downspout	129	5%	135	LF	-	-	\$	-	\$	-	\$	-
	DIV-08	Openings					-	-						\$
		Doors					-	-						
188	DIV-08	(3'-0"x8') Steel Swing Door w/ Steel Frame	3	0%	3	EA	-	-	\$	-	\$	-	\$	-
189	DIV-08	(3'-0"x6'-8") Steel Swing Door w/ Steel Frame	23	0%	23	EA	-	-	\$	-	\$	-	\$	-
190	DIV-08	(3'-0"x6'-8") Steel Swing Door w/ Steel Frame	8	0%	8	EA	-	-	\$	-	\$	-	\$	-
191	DIV-08	(3'-0"x3'-0") Steel Swing Door w/ Steel Frame	7	0%	7	EA	-	-	\$	-	\$	-	\$	-
192	DIV-08	(6'-0"x6'-8") Double Swing Steel Door w/ Steel Frame	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
193	DIV-08	(3'-0"x7'-0") Swing, Wood Door w/ Wood Frame	24	0%	24	EA	-	-	\$	-	\$	-	\$	-
194	DIV-08	(2'-10"x6'-8") Swing, Wood Door w/ Wood Frame	45	0%	45	EA	-	-	\$	-	\$	-	\$	-
195	DIV-08	(6'-0"x8'-0") Double Swing, Wood Door w/ Wood Frame	15	0%	15	EA	-	-	\$	-	\$	-	\$	-
196	DIV-08	(2'-0"x6'-8") Double Swing, Wood Door w/ Wood Frame	46	0%	46	EA	-	-	\$	-	\$	-	\$	-
197	DIV-08	(4'-0"x6'-8") Double Sliding Wood Door w/ Wood Frame	4	0%	4	EA	-	-	\$	-</				

210	DIV-06	2-1/2" Glass Fibre Batt Insulation	7,261	5%	7,624	SF	-	\$	-	\$	-	\$	-
211	DIV-06	Acoustical Sealant	1,654	5%	1,694	LF	-	\$	-	\$	-	\$	-
212		Wall Type WS (R-07 High) - Shale Wall	885	5%	930	LF	-						
213	DIV-06	(1) 1" Gypsum board on One side (4'X8' Ea.)	7,968	0%	7,968	EA	-	\$	-	\$	-	\$	-
214	DIV-06	(1) 1/2" Gypsum board on both side (4'X8' Ea.)	15,935	0%	15,935	EA	-	\$	-	\$	-	\$	-
215	DIV-06	25GA Furring Channels @24" O.C.	3,984	5%	4,183	LF	-	\$	-	\$	-	\$	-
216	DIV-06	4" 25GA USG C-H Studs @24" O.C. (30' H)	463	0%	463	EA	-	\$	-	\$	-	\$	-
217	DIV-06	4" 25GA USG C-H Top and Bottom Plate	1,771	5%	1,859	LF	-	\$	-	\$	-	\$	-
218	DIV-06	3" Tnk. Mineral Wool Insulation	7,968	5%	8,366	SF	-	\$	-	\$	-	\$	-
219	DIV-06	Acoustical Sealant	3,541	5%	3,718	LF	-	\$	-	\$	-	\$	-
220	DIV-09	Ceiling Finishes											
221	DIV-09	5/8" Vene A Gypsum Ceiling (2nd-5th)	8,509	5%	8,935	SF	-	\$	-	\$	-	\$	-
222	DIV-09	3/4" Homosote	8,509	5%	8,935	SF	-	\$	-	\$	-	\$	-
223	DIV-09	1/8" Sub Floor	8,509	5%	8,935	SF	-	\$	-	\$	-	\$	-
224	DIV-09	R19 Insulation	8,509	5%	8,935	SF	-	\$	-	\$	-	\$	-
225	DIV-09	1/4" Resilient Channels @24"	4,255	5%	4,467	SF	-	\$	-	\$	-	\$	-
226	DIV-09	Toping Mudging Screws	2,660	5%	2,793	LF	-	\$	-	\$	-	\$	-
227	DIV-09		451	5%	474	LBS	-	\$	-	\$	-	\$	-
228	DIV-09		11,970	0%	11,970	EA	-	\$	-	\$	-	\$	-
229		Floor Finishes											
230	DIV-09	VCT Flooring	8,509	5%	8,934	SF	-	\$	-	\$	-	\$	-
231		Floor Tiles											
232	DIV-09	1/4" Tile	5,654	5%	5,937	SF	-	\$	-	\$	-	\$	-
233	DIV-09	3/4" Homosote	5,654	5%	5,937	SF	-	\$	-	\$	-	\$	-
234	DIV-09	Mechanical Grinding	5,654	5%	5,937	SF	-	\$	-	\$	-	\$	-
235		Misc.											
236	DIV-09	1/2" Max Door Threshold	90	5%	95	LF	-	\$	-	\$	-	\$	-
237		Base											
238	DIV-09	Wall Base	4,213	5%	4,424	LF	-	\$	-	\$	-	\$	-
239		Window Sill											
240	DIV-09	Window Sill	135	5%	141	LF	-	\$	-	\$	-	\$	-
241		Jamb											
242	DIV-09	Door Jamb	3,184	5%	3,344	LF	-	\$	-	\$	-	\$	-
243		Door Trim											
244	DIV-09	Door Trim	3,926	5%	4,122	LF	-	\$	-	\$	-	\$	-
245		Paint											
246		Wall Paint											
247	DIV-09	Wall Paint	44,092	5%	46,297	SF	-	\$	-	\$	-	\$	-
248		Ceiling Paint											
249	DIV-09	Paint on Ceiling	8,509	5%	8,934	SF	-	\$	-	\$	-	\$	-
250		Door Paint											
251	DIV-09	Paint On (3'-6"x6'-8") Steel Swing Door w/ Steel Frame	3	0%	3	EA	-	\$	-	\$	-	\$	-
252	DIV-09	Paint On (3'-0"x6'-8") Steel Swing Door w/ Steel Frame	23	0%	23	EA	-	\$	-	\$	-	\$	-
253	DIV-09	Paint On (3'-0"x6'-8") Steel Swing Door w/ Steel Frame	8	0%	8	EA	-	\$	-	\$	-	\$	-
254	DIV-09	Paint On (3'-0"x3'-8") Steel Swing Door w/ Steel Frame	7	0%	7	EA	-	\$	-	\$	-	\$	-
255	DIV-09	Paint On (3'-0"x6'-8") Double Swing Steel Door w/ Steel Frame	1	0%	1	EA	-	\$	-	\$	-	\$	-
256	DIV-09	Paint On (3'-6"x7'-3") Swing Wood Door w/ Wood Frame	24	0%	24	EA	-	\$	-	\$	-	\$	-
257	DIV-09	Paint On (2'-10"x6'-8") Swing Wood Door w/ Wood Frame	45	0%	45	EA	-	\$	-	\$	-	\$	-
258	DIV-09	Paint On (2'-10"x6'-8") Double Swing Wood Door w/ Wood Frame	15	0%	15	EA	-	\$	-	\$	-	\$	-
259	DIV-09	Paint On (2'-0"x6'-8") Double Swing Wood Door w/ Wood Frame	46	0%	46	EA	-	\$	-	\$	-	\$	-
260	DIV-09	Paint On (4'-0"x6'-8") Double Sliding Wood Door w/ Wood Frame	4	0%	4	EA	-	\$	-	\$	-	\$	-
261	DIV-09	Paint On (3'-0"x6'-8") Sliding Wood Door w/ Wood Frame	29	0%	29	EA	-	\$	-	\$	-	\$	-
262	DIV-09	Paint On (3'-0"x6'-8") Double Sliding Steel Door w/ Wood Frame	29	0%	29	EA	-	\$	-	\$	-	\$	-
263	DIV-09	Paint On (10'-0"x8'-2") Garage Roll Up Door	2	0%	2	EA	-	\$	-	\$	-	\$	-
264		Exterior Finishes											
265	DIV-09	White Smooth Stucco	47,923	5%	50,319	SF	-	\$	-	\$	-	\$	-
266	DIV-09	Metal Lath (Reinforcing Mesh)	47,923	5%	50,319	SF	-	\$	-	\$	-	\$	-
267	DIV-09	2 Layer of Weather Barrier Paper	95,846	5%	100,638	SF	-	\$	-	\$	-	\$	-
268	DIV-09	Exposed Concrete Type 1 - Anti Grifflit Finish Area	8,581	5%	9,010	SF	-	\$	-	\$	-	\$	-
269	DIV-09	Scaffolding/Lifts Exterior (H= 10' or Higher)		5%	-	SF	-	\$	-	\$	-	\$	-
270	DIV-10	Specialties											\$
271		Toilet Accessories											
272	DIV-10	12" Grab Bar	1	0%	1	EA	-	\$	-	\$	-	\$	-
273	DIV-10	18" Grab Bar	2	0%	2	EA	-	\$	-	\$	-	\$	-
274	DIV-10	24" Grab Bar	2	0%	2	EA	-	\$	-	\$	-	\$	-
275	DIV-10	40" Grab Bar	14	0%	14	EA	-	\$	-	\$	-	\$	-
276	DIV-10	42" Grab Bar	5	0%	5	EA	-	\$	-	\$	-	\$	-
277	DIV-10	44" Grab Bar	4	0%	4	EA	-	\$	-	\$	-	\$	-
278	DIV-10	46" Grab Bar	5	0%	5	EA	-	\$	-	\$	-	\$	-
279	DIV-10	48" Grab Bar	15	0%	15	EA	-	\$	-	\$	-	\$	-
280	DIV-10	54" Grab Bar	9	0%	9	EA	-	\$	-	\$	-	\$	-
281	DIV-10	Grab Bar Reinforcement	254	5%	267	SF	-	\$	-	\$	-	\$	-
282	DIV-11	Equipment											\$
283		Auxiliaries											
284	DIV-11	Energy Star Dish Washer - Meter (D07123551)	24	0%	24	EA	-	\$	-	\$	-	\$	-
285	DIV-11	Energy Star Refrigerator-G (J.MNC10551)	24	0%	24	EA	-	\$	-	\$	-	\$	-
286	DIV-12	Furnishings											\$
287		Countertop's											
288	DIV-12	2' W Countertop	546	5%	573	SF	-	\$	-	\$	-	\$	-
289		Cabinets and Shelving											
290	DIV-12	(2' Deep x 3' H) Removable Cabinet	221	5%	222	LF	-	\$	-	\$	-	\$	-
291	DIV-12	(2' Deep x 3' H) Drawer	8	5%	9	LF	-	\$	-	\$	-	\$	-
292	DIV-12	(14" deep x 1'-11" H) Overhead Cabinet	51	5%	54	LF	-	\$	-	\$	-	\$	-
293	DIV-12	(14" deep x 2'-8" H) Overhead Cabinet	63	5%	66	LF	-	\$	-	\$	-	\$	-
294	DIV-12	(14" deep x 3'-4" H) Overhead Cabinet	167	5%	176	LF	-	\$	-	\$	-	\$	-
295	DIV-22	Plumbing											\$
296		Plumbing Piping											
297		Water											
298		Water Pipes											
299	DIV-22	1" CW	54	5%	56	LF	-	\$	-	\$	-	\$	-
300	DIV-22	2-1/2" CW	37	5%	39	LF	-	\$	-	\$	-	\$	-
301	DIV-22	1" CW	16	5%	17	LF	-	\$	-	\$	-	\$	-
302	DIV-22	1-1/4" CW	210	5%	220	LF	-	\$	-	\$	-	\$	-
303	DIV-22	1" CW	866	5%	909	LF	-	\$	-	\$	-	\$	-
304	DIV-22	1/2" CW	206	5%	216	LF	-	\$	-	\$	-	\$	-
305	DIV-22	3/4" CW	1,093	5%	1,147	LF	-	\$	-	\$	-	\$	-
306	DIV-22	1" HW	796	5%	836	LF	-	\$	-	\$	-	\$	-
307	DIV-22	3/4" HW	1,471	5%	1,545	LF	-	\$	-	\$	-	\$	-
308		Note:See the attached for pipe material.											
309		Pipe Insulation											
310	DIV-22	1" Pipe Insulation <i>Note: Assumed</i>	4,749	5%	4,986	LF	-	\$	-	\$	-	\$	-
311		Valves											
312	DIV-22	4" Backwater Valve	2	0%	2	EA	-	\$	-	\$	-	\$	-
313	DIV-22	3" Backwater Valve	1	0%	1	EA	-	\$	-	\$	-	\$	-
314	DIV-22	1-1/2" Pressure-Regulator Valve-Zum ZW209BP	1	0%	1	EA	-	\$	-	\$	-	\$	-
315	DIV-22	Washing Machine Valve	10	0%	10	EA	-	\$	-	\$	-	\$	-
316	DIV-22	Shut Off Valve	10	0%	10	EA	-	\$	-	\$	-	\$	-
317		Sanitary											
318		Sanitary Pipes											
319	DIV-22	4" W	284	5%	246	LF	-	\$	-	\$	-	\$	-
320	DIV-22	1" W	47	5%	50	LF	-	\$	-	\$	-	\$	-
321	DIV-22	2" W	2,193	5%	2,303	LF	-	\$	-	\$	-	\$	-
322	DIV-22	2" S	645	5%	677	LF	-	\$	-	\$	-	\$	-
323	DIV-22	2" S	417	5%	438	LF	-	\$	-	\$	-	\$	-
324	DIV-22	4" S	740	5%	777	LF	-	\$	-	\$	-	\$	-
325	DIV-22	6" S	19	5%	20	LF	-	\$	-	\$	-	\$	-
326	DIV-22	1-1/2" V	1,000	5%	1,050	LF	-	\$	-	\$	-	\$	-
327	DIV-22	2" V	562	5%	590	LF	-	\$	-	\$	-	\$	-
328	DIV-22	3" V	63	5%	66	LF	-	\$	-	\$	-	\$	-
329	DIV-22	3" VTR	44	5%	47	LF	-	\$	-	\$	-	\$	-
330	DIV-22	1" VTR	7	0%	7	EA	-	\$	-	\$	-	\$	-
331	DIV-22	2" VTR	4	0%	4	EA	-	\$	-	\$	-	\$	-
332		Note:See the attached for pipe material.											
333		Gas											
334		Gas Pipes											
335	DIV-22	1-1/2" G	1,769	5%	1,857	LF	-	\$	-	\$	-	\$	-
336	DIV-22	1-1/4" G	119	5%	125	LF	-	\$	-	\$	-	\$	-
337	DIV-22	1" G	29	5%	31	LF	-	\$	-	\$	-	\$	-
338		Note:See the attached for pipe material.											
339		Misc.											
340	DIV-22	Clean Out	12	0%	12	EA	-	\$	-	\$	-	\$	-
341	DIV-22	Circulation Pump	25	0%	25	EA	-	\$	-	\$	-	\$	-
342	DIV-22	Sub-Meter	10	0%	10	EA	-	\$					

309	DIV-22	CVC Riser	15	0%	15	EA	-	\$	-	\$	-	\$	-
310	DIV-22	HDV	15	0%	15	EA	-	\$	-	\$	-	\$	-
311	DIV-22	1" G Connect	25	0%	25	EA	-	\$	-	\$	-	\$	-
312	DIV-22	Note: Bv GC 3/4" G Connect	25	0%	25	EA	-	\$	-	\$	-	\$	-
313	DIV-22	Note: Bv GC 1-1/4" G Connect	5	0%	5	EA	-	\$	-	\$	-	\$	-
314	DIV-22	Gateway Controller Box	1	0%	1	EA	-	\$	-	\$	-	\$	-
315	DIV-22	Note: Please Verify 1-1/4" Fire Sensor/Drain	1	0%	1	EA	-	\$	-	\$	-	\$	-
316	DIV-22	3" Pump Discharge	1	0%	1	EA	-	\$	-	\$	-	\$	-
317	DIV-22	2" Pump Discharge	2	0%	2	EA	-	\$	-	\$	-	\$	-
318	DIV-22	1" Water Meter	1	0%	1	EA	-	\$	-	\$	-	\$	-
319	DIV-22	3" Backflow Preventer-Wilkins 375A	1	0%	1	EA	-	\$	-	\$	-	\$	-
320	DIV-22	3" Pressure Regulator Valve-Wilkins 500XL	1	0%	1	EA	-	\$	-	\$	-	\$	-
321	DIV-22	Hour Bib	4	0%	4	EA	-	\$	-	\$	-	\$	-
322	DIV-22	Graywater Connection Box	1	0%	1	EA	-	\$	-	\$	-	\$	-
323	DIV-22	9" Area Drain	3	0%	3	EA	-	\$	-	\$	-	\$	-
324	DIV-22	12"x12" Catch Basin	1	0%	1	EA	-	\$	-	\$	-	\$	-
325	DIV-22	Gas Meter	25	0%	25	EA	-	\$	-	\$	-	\$	-
326	DIV-22	Utility Service Valve	25	0%	25	EA	-	\$	-	\$	-	\$	-
327	DIV-22	Note: Bv Gas Company Seismic Gas Shut-Off Valve	25	0%	25	EA	-	\$	-	\$	-	\$	-
328	DIV-22	Note: Bv Gas Company Gas Pressure Regulator	25	0%	25	EA	-	\$	-	\$	-	\$	-
Plumbing Fixtures													
329	DIV-22	WH	25	0%	25	EA	-	\$	-	\$	-	\$	-
330	DIV-22	WC	25	0%	25	EA	-	\$	-	\$	-	\$	-
331	DIV-22	KS	25	0%	25	EA	-	\$	-	\$	-	\$	-
332	DIV-22	BT	25	0%	25	EA	-	\$	-	\$	-	\$	-
333	DIV-22	FD	25	0%	25	EA	-	\$	-	\$	-	\$	-
334	DIV-22	L	25	0%	25	EA	-	\$	-	\$	-	\$	-
335	DIV-22	WD	25	0%	25	EA	-	\$	-	\$	-	\$	-
336	DIV-22	SL-1/2	1	0%	1	EA	-	\$	-	\$	-	\$	-
337	DIV-22	SP-1/2	1	0%	1	EA	-	\$	-	\$	-	\$	-
338	DIV-22	4" Trench Drain-TD-1	1	0%	1	EA	-	\$	-	\$	-	\$	-
339	DIV-22	LD-1	2	0%	2	EA	-	\$	-	\$	-	\$	-
340	DIV-22	S	1	0%	1	EA	-	\$	-	\$	-	\$	-
341	DIV-22	3" RD-1	3	0%	3	EA	-	\$	-	\$	-	\$	-
342	DIV-22	ORD-1	3	0%	3	EA	-	\$	-	\$	-	\$	-
Note-See the attached.													
DIV-23 Heating, Ventilating, & Air conditioning													
Mechanical Ducts													
343	DIV-23	4" Dia. Duct	58	5%	61	LF	-	\$	-	\$	-	\$	-
344	DIV-23	6" Dia. Duct	445	5%	467	LF	-	\$	-	\$	-	\$	-
345	DIV-23	8" Dia. Duct	2,398	5%	2,518	LF	-	\$	-	\$	-	\$	-
346	DIV-23	10" Dia. Duct	322	5%	338	LF	-	\$	-	\$	-	\$	-
347	DIV-23	12" Dia. Duct	196	5%	206	LF	-	\$	-	\$	-	\$	-
348	DIV-23	20" Dia. Duct	65	5%	69	LF	-	\$	-	\$	-	\$	-
349	DIV-23	(12x10) Duct	64	5%	67	LF	-	\$	-	\$	-	\$	-
350	DIV-23	(16x10) Duct	13	5%	14	LF	-	\$	-	\$	-	\$	-
351	DIV-23	Fiberglass 3/4 P.C.F. Density Insulation	16,782	5%	17,621	SF	-	\$	-	\$	-	\$	-
Mechanical Equipment													
352	DIV-23	FC-001	1	0%	1	EA	-	\$	-	\$	-	\$	-
353	DIV-23	FC-101	1	0%	1	EA	-	\$	-	\$	-	\$	-
354	DIV-23	FC-201	1	0%	1	EA	-	\$	-	\$	-	\$	-
355	DIV-23	FC-202	1	0%	1	EA	-	\$	-	\$	-	\$	-
356	DIV-23	FC-203	1	0%	1	EA	-	\$	-	\$	-	\$	-
357	DIV-23	FC-204	1	0%	1	EA	-	\$	-	\$	-	\$	-
358	DIV-23	FC-205	1	0%	1	EA	-	\$	-	\$	-	\$	-
359	DIV-23	FC-301	1	0%	1	EA	-	\$	-	\$	-	\$	-
360	DIV-23	FC-302	1	0%	1	EA	-	\$	-	\$	-	\$	-
361	DIV-23	FC-303	1	0%	1	EA	-	\$	-	\$	-	\$	-
362	DIV-23	FC-304	1	0%	1	EA	-	\$	-	\$	-	\$	-
363	DIV-23	FC-305	1	0%	1	EA	-	\$	-	\$	-	\$	-
364	DIV-23	FC-401	1	0%	1	EA	-	\$	-	\$	-	\$	-
365	DIV-23	FC-402	1	0%	1	EA	-	\$	-	\$	-	\$	-
366	DIV-23	FC-403	1	0%	1	EA	-	\$	-	\$	-	\$	-
367	DIV-23	FC-404	1	0%	1	EA	-	\$	-	\$	-	\$	-
368	DIV-23	FC-405	1	0%	1	EA	-	\$	-	\$	-	\$	-
369	DIV-23	FC-501	1	0%	1	EA	-	\$	-	\$	-	\$	-
370	DIV-23	FC-502	1	0%	1	EA	-	\$	-	\$	-	\$	-
371	DIV-23	FC-503	1	0%	1	EA	-	\$	-	\$	-	\$	-
372	DIV-23	FC-504	1	0%	1	EA	-	\$	-	\$	-	\$	-
373	DIV-23	FC-505	1	0%	1	EA	-	\$	-	\$	-	\$	-
374	DIV-23	FC-601	1	0%	1	EA	-	\$	-	\$	-	\$	-
375	DIV-23	FC-602	1	0%	1	EA	-	\$	-	\$	-	\$	-
376	DIV-23	FC-603	1	0%	1	EA	-	\$	-	\$	-	\$	-
377	DIV-23	FC-604	1	0%	1	EA	-	\$	-	\$	-	\$	-
378	DIV-23	FC-605	1	0%	1	EA	-	\$	-	\$	-	\$	-
Note: FC is the Fan Coil Unit.													
379	DIV-23	CU-001	1	0%	1	EA	-	\$	-	\$	-	\$	-
380	DIV-23	CU-101	1	0%	1	EA	-	\$	-	\$	-	\$	-
381	DIV-23	CU-201	1	0%	1	EA	-	\$	-	\$	-	\$	-
382	DIV-23	CU-202	1	0%	1	EA	-	\$	-	\$	-	\$	-
383	DIV-23	CU-203	1	0%	1	EA	-	\$	-	\$	-	\$	-
384	DIV-23	CU-204	1	0%	1	EA	-	\$	-	\$	-	\$	-
385	DIV-23	CU-205	1	0%	1	EA	-	\$	-	\$	-	\$	-
386	DIV-23	CU-301	1	0%	1	EA	-	\$	-	\$	-	\$	-
387	DIV-23	CU-302	1	0%	1	EA	-	\$	-	\$	-	\$	-
388	DIV-23	CU-303	1	0%	1	EA	-	\$	-	\$	-	\$	-
389	DIV-23	CU-304	1	0%	1	EA	-	\$	-	\$	-	\$	-
390	DIV-23	CU-305	1	0%	1	EA	-	\$	-	\$	-	\$	-
391	DIV-23	CU-401	1	0%	1	EA	-	\$	-	\$	-	\$	-
392	DIV-23	CU-402	1	0%	1	EA	-	\$	-	\$	-	\$	-
393	DIV-23	CU-403	1	0%	1	EA	-	\$	-	\$	-	\$	-
394	DIV-23	CU-404	1	0%	1	EA	-	\$	-	\$	-	\$	-
395	DIV-23	CU-405	1	0%	1	EA	-	\$	-	\$	-	\$	-
396	DIV-23	CU-501	1	0%	1	EA	-	\$	-	\$	-	\$	-
397	DIV-23	CU-502	1	0%	1	EA	-	\$	-	\$	-	\$	-
398	DIV-23	CU-503	1	0%	1	EA	-	\$	-	\$	-	\$	-
399	DIV-23	CU-504	1	0%	1	EA	-	\$	-	\$	-	\$	-
400	DIV-23	CU-505	1	0%	1	EA	-	\$	-	\$	-	\$	-
401	DIV-23	CU-601	1	0%	1	EA	-	\$	-	\$	-	\$	-
402	DIV-23	CU-602	1	0%	1	EA	-	\$	-	\$	-	\$	-
403	DIV-23	CU-603	1	0%	1	EA	-	\$	-	\$	-	\$	-
404	DIV-23	CU-604	1	0%	1	EA	-	\$	-	\$	-	\$	-
405	DIV-23	CU-605	1	0%	1	EA	-	\$	-	\$	-	\$	-
Note: CU is the Air Cooled Condensing Unit, see the attached													
406	DIV-23	IF-1	1	0%	1	EA	-	\$	-	\$	-	\$	-
407	DIV-23	IF-2	1	0%	1	EA	-	\$	-	\$	-	\$	-
Note: IF is the induction fan, see the attached for more detail.													
408	DIV-23	KE-201	1	0%	1	EA	-	\$	-	\$	-	\$	-
409	DIV-23	KE-202	1	0%	1	EA	-	\$	-	\$	-	\$	-
410	DIV-23	KE-203	1	0%	1	EA	-	\$	-	\$	-	\$	-
411	DIV-23	KE-204	1	0%	1	EA	-	\$	-	\$	-	\$	-
412	DIV-23	KE-205	1	0%	1	EA	-	\$	-	\$	-	\$	-
413	DIV-23	KE-301	1	0%	1	EA	-	\$	-	\$	-	\$	-
414	DIV-23	KE-302	1	0%	1	EA	-	\$	-	\$	-	\$	-
415	DIV-23	KE-303	1	0%	1	EA	-	\$	-	\$	-	\$	-
416	DIV-23	KE-304	1	0%	1	EA	-	\$	-	\$	-	\$	-
417	DIV-23	KE-305	1	0%	1	EA	-	\$	-	\$	-	\$	-
418	DIV-23	KE-401	1	0%	1	EA	-	\$	-	\$	-	\$	-
419	DIV-23	KE-402	1	0%	1	EA	-	\$	-	\$	-	\$	-
420	DIV-23	KE-403	1	0%	1	EA	-	\$	-	\$	-	\$	-
421	DIV-23	KE-404	1	0%	1	EA	-	\$	-	\$	-	\$	-
422	DIV-23	KE-405	1	0%	1	EA	-	\$	-	\$	-	\$	-
423	DIV-23	KE-501	1	0%	1	EA	-	\$	-	\$	-	\$	-
424	DIV-23	KE-502	1	0%	1	EA	-	\$	-	\$	-	\$	-
425	DIV-23	KE-503	1	0%	1	EA	-	\$	-	\$	-	\$	-
426	DIV-23	KE-504	1	0%	1	EA	-	\$	-	\$	-	\$	-
427	DIV-23	KE-505	1	0%	1	EA	-	\$	-	\$	-	\$	-
428	DIV-23	KE-601	1	0%	1	EA	-	\$	-	\$	-	\$	-
429	DIV-23	KE-602	1	0%	1	EA	-	\$	-	\$	-	\$	-
430	DIV-23	KE-603	1	0%	1	EA	-	\$	-	\$	-	\$	-
431	DIV-23	KE-604	1	0%	1	EA	-	\$	-	\$	-	\$	-

461	DIV-23	EF-504	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
462	DIV-23	EF-505	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
463	DIV-23	EF-5-C	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
464	DIV-23	EF-601	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
465	DIV-23	EF-602	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
466	DIV-23	EF-603	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
467	DIV-23	EF-604	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
468	DIV-23	EF-605	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
469	DIV-23	EF-6-C	12	0%	12	EA	-	-	\$	-	\$	-	\$	-
Note: See the attached.														
Diffuser/Register/Grille														
470	DIV-23	1150 CFM 8x8 Sidewall Supply Air Register	17	0%	17	EA	-	-	\$	-	\$	-	\$	-
471	DIV-23	1200 CFM 10x8 Sidewall Supply Air Register	10	0%	10	EA	-	-	\$	-	\$	-	\$	-
472	DIV-23	1200 CFM 12x10 Sidewall Supply Air Register	5	0%	5	EA	-	-	\$	-	\$	-	\$	-
473	DIV-23	1000 CFM 10x10 Sidewall Supply Air Register	5	0%	5	EA	-	-	\$	-	\$	-	\$	-
474	DIV-23	1150 CFM 8x8 Double Deflection Sidewall Supply Air Register	2	0%	2	EA	-	-	\$	-	\$	-	\$	-
475	DIV-23	36x20 Return Air Grille	5	0%	5	EA	-	-	\$	-	\$	-	\$	-
476	DIV-23	18x8 Return Air Grille	20	0%	20	EA	-	-	\$	-	\$	-	\$	-
477	DIV-23	20"x20" Return Air Grille	2	0%	2	EA	-	-	\$	-	\$	-	\$	-
478	DIV-23	18x10 CFM 24x10 Air Register	5	0%	5	EA	-	-	\$	-	\$	-	\$	-
479	DIV-23	1200 CFM 10x8 Air Register	5	0%	5	EA	-	-	\$	-	\$	-	\$	-
480	DIV-23	1100 CFM 8x8 Air Register	5	0%	5	EA	-	-	\$	-	\$	-	\$	-
481	DIV-23	1100 CFM 8x8 Air Diffuser	3	0%	3	EA	-	-	\$	-	\$	-	\$	-
482	DIV-23	30 CFM SEHO SFX 6 OSA Intake Louver	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
483	DIV-23	100 CFM SEHO SFX 8 OSA Intake Louver	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
484	DIV-23	1400 CFM SEHO SFX 8 OSA Intake Louver	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
485	DIV-23	20"x48" Exhaust Louver W/Birdscreen	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
Damper														
486	DIV-23	Combination Fire/Smoke Damper	33	0%	33	EA	-	-	\$	-	\$	-	\$	-
487	DIV-23	Backdraft Damper	71	0%	71	EA	-	-	\$	-	\$	-	\$	-
Misc														
488	DIV-23	Thermostat	27	0%	27	EA	-	-	\$	-	\$	-	\$	-
489	DIV-23	12"x12"x20" Unid Plenum Box	44	0%	44	EA	-	-	\$	-	\$	-	\$	-
490	DIV-23	10"x10"x20" Unid Plenum Box	10	0%	10	EA	-	-	\$	-	\$	-	\$	-
491	DIV-23	150 CFM SEHO SFX 6 OSA Wall Cap	5	0%	5	EA	-	-	\$	-	\$	-	\$	-
492	DIV-23	135 CFM SEHO SFX 6 OSA Wall Cap	10	0%	10	EA	-	-	\$	-	\$	-	\$	-
493	DIV-23	80 CFM SEHO SFX 6 OSA Wall Cap	10	0%	10	EA	-	-	\$	-	\$	-	\$	-
494	DIV-23	125 CFM SEHO SFX 6 OSA Wall Cap	10	0%	10	EA	-	-	\$	-	\$	-	\$	-
495	DIV-23	SEHO SFX 48 Dryer Vent Cap	20	0%	20	EA	-	-	\$	-	\$	-	\$	-
496	DIV-23	SEHO SFX 48 Dryer Vent Cap	20	0%	20	EA	-	-	\$	-	\$	-	\$	-
497	DIV-23	SEHO SFX 6 Vent Cap	45	0%	45	EA	-	-	\$	-	\$	-	\$	-
498	DIV-23	SEHO SFX 10 Vent Cap	3	0%	3	EA	-	-	\$	-	\$	-	\$	-
499	DIV-23	SEHO SFX 10 Vent Cap	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
500	DIV-23	3" Dia. x 5' Dia. Concentric Vent	50	0%	50	EA	-	-	\$	-	\$	-	\$	-
501	DIV-23	12"x24"x2" MERV-8 Air Filter	20	0%	20	EA	-	-	\$	-	\$	-	\$	-
502	DIV-23	4" Dryer Vent	10	0%	10	EA	-	-	\$	-	\$	-	\$	-
503	DIV-23	48x24 Bellmouth W/Grille	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
504	DIV-23	2" TYN MERV-8 Air Filter	2	0%	2	EA	-	-	\$	-	\$	-	\$	-
505	DIV-23	8x41 2-Wire Fire Rated Enclosure	9	0%	9	EA	-	-	\$	-	\$	-	\$	-
Note: Please verify														
506	DIV-23	Honeywell 301C Carbon Monoxide Controller	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
DIV-26 Electrical														
Lighting Fixtures														
507	DIV-26	F1	81	0%	81	EA	-	-	\$	-	\$	-	\$	-
508	DIV-26	F2	108	0%	108	EA	-	-	\$	-	\$	-	\$	-
509	DIV-26	F3	33	0%	33	EA	-	-	\$	-	\$	-	\$	-
510	DIV-26	F4	30	0%	30	EA	-	-	\$	-	\$	-	\$	-
511	DIV-26	F4-EM	37	0%	37	EA	-	-	\$	-	\$	-	\$	-
512	DIV-26	F5	35	0%	35	EA	-	-	\$	-	\$	-	\$	-
513	DIV-26	F6	28	0%	28	EA	-	-	\$	-	\$	-	\$	-
514	DIV-26	F6-EM	6	0%	6	EA	-	-	\$	-	\$	-	\$	-
515	DIV-26	F8-EM	3	0%	3	EA	-	-	\$	-	\$	-	\$	-
516	DIV-26	EX	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
Note: Please Verify														
517	DIV-26	EX1	20	0%	20	EA	-	-	\$	-	\$	-	\$	-
518	DIV-26	EX2	8	0%	8	EA	-	-	\$	-	\$	-	\$	-
Note: See the attached for detail.														
Power Items														
Receptacles														
519	DIV-26	Duplex Receptacle	295	0%	295	EA	-	-	\$	-	\$	-	\$	-
520	DIV-26	Quadplex Receptacle	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
521	DIV-26	GFCI Weather Proof Duplex Receptacle	33	0%	33	EA	-	-	\$	-	\$	-	\$	-
522	DIV-26	GFCI Duplex Receptacle	144	0%	144	EA	-	-	\$	-	\$	-	\$	-
523	DIV-26	Telephone Outlet	64	0%	64	EA	-	-	\$	-	\$	-	\$	-
524	DIV-26	Cable, TV Outlet	45	0%	45	EA	-	-	\$	-	\$	-	\$	-
Switches														
525	DIV-26	Single Pole Switch	53	0%	53	EA	-	-	\$	-	\$	-	\$	-
526	DIV-26	Two Pole Switch	27	0%	27	EA	-	-	\$	-	\$	-	\$	-
527	DIV-26	Single Pole Toggle Switch	12	0%	12	EA	-	-	\$	-	\$	-	\$	-
528	DIV-26	Three Pole Toggle Switch	2	0%	2	EA	-	-	\$	-	\$	-	\$	-
529	DIV-26	Dimmer Switch	90	0%	90	EA	-	-	\$	-	\$	-	\$	-
530	DIV-26	Fused Disconnect Switch	3	0%	3	EA	-	-	\$	-	\$	-	\$	-
531	DIV-26	Non-Fused Disconnect Switch	26	0%	26	EA	-	-	\$	-	\$	-	\$	-
Panel														
532	DIV-26	Panel-HS1	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
533	DIV-26	Panel-HS2	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
534	DIV-26	Panel-2A	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
535	DIV-26	Panel-2B	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
536	DIV-26	Panel-2C	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
537	DIV-26	Panel-2D	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
538	DIV-26	Panel-2E	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
539	DIV-26	Panel-3A	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
540	DIV-26	Panel-3B	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
541	DIV-26	Panel-3C	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
542	DIV-26	Panel-3D	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
543	DIV-26	Panel-3E	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
544	DIV-26	Panel-4A	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
545	DIV-26	Panel-4B	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
546	DIV-26	Panel-4C	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
547	DIV-26	Panel-4D	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
548	DIV-26	Panel-4E	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
549	DIV-26	Panel-5A	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
550	DIV-26	Panel-5B	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
551	DIV-26	Panel-5C	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
552	DIV-26	Panel-5D	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
553	DIV-26	Panel-5E	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
554	DIV-26	Panel-6A	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
555	DIV-26	Panel-6B	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
556	DIV-26	Panel-6C	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
557	DIV-26	Panel-6D	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
558	DIV-26	Carbon Monoxide Control Panel	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
559	DIV-26	Lighting Control Panel	1	0%	1	EA	-	-	\$	-	\$	-	\$	-
Note: Please verify														
Note: Kindly see the panel schedule in drawings for details.														
Misc														
560	DIV-26	Switch Pak	15	0%	15	EA	-	-	\$	-	\$	-	\$	-
561	DIV-26	Junction Box	122	5%	128	LF	-	-	\$	-	\$	-	\$	-
562	DIV-26	Seismic Approved Mounting Hardware	34	0%	34	EA	-	-	\$	-	\$	-	\$	-
563	DIV-26	1/2" HP, 120V, 1 Phase) Garbage Disposer	14	0%	14	EA	-	-	\$	-	\$	-	\$	-
564	DIV-26	4" Magnetic Starter	52	5%	55	LF	-	-	\$	-	\$	-	\$	-
565	DIV-													

[illegible]